

Work Order ID 58903

May 19, 2010 1:16:47 PM



Page 1

Item ID: D2600-3-BENT

Accept



Setup Start



Revision ID:

Item Name: Extrusion Bent

Stop



Start Date: 5/19/10 Start Qty: 12.00



Cust Item ID:

Required Date: 5/28/10 Req'd Qty: 12.00



Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D2600

Rev D1

100

0.00



BENDING MACHINE - SKIDTUBES

CNC Bend I

Memo

0.00

CNC Delta 100 Bender

Pick qty 1 D2600-3-120 extrusion

1-Deburr one end of extrusion

2-Drill #30 pilot holes using DT8689

3-Open holes to 5/16" and deburr

4-Bend using CNC bending machine as per program 2750.C and Folio FT003.

5-Use 5/16 locator pin on buggy "A".

6-Check fit to Jig DT8150

(20x) MB 10-05-25

110

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control.

Inspect work to Step 6 Ensure fit to Jig DT8150

DP

10-5 -25

(20)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 58903

May 19, 2010 1:16:47 PM



Page 2

Item ID: D2600-3-BENT

Accept



Setup Start



Revision ID:

Item Name: Extrusion Bent

Stop



Start Date: 5/19/10 Start Qty: 12.00



Cust Item ID:

Required Date: 5/28/10 Req'd Qty: 12.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start



Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	----------------	--------------	--------------	---------------	---------------	------------------	----------------

120 Identify as per dwg & Stock Location: *Scrap tube cut* 0.00



Packaging

Memo

0.00

Packaging

(20x)

2

MS 10-05-25

130 QC21- Final Inspection - Work Order Release 0.00



QC

Memo

0.00

Quality Control

10/05/25

10-5-25
(20)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

May 19, 2010 1:16:46 PM

Page 1

Work Order ID: 58903

Parent Item: D2600-3-BENT

Parent Item Name: Extrusion Bent


Comments:

Start Date: 5/19/10

Required Date: 5/28/10

Start Qty: 12.00

Required Qty: 12.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Qty Issued	Date Issued	Status
D2600-3-120  Extrusion Round 3" 350		Manufactured	No			100	Each	54.0000	1			



20x MB 10-05-25

Location

LG

43960

46063

Loc Qty

54

42

12

Loc Code

8X
12X

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>KE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D2600	REV. D SHEET 1 OF 5
DATE 98.08.20		TITLE EXTRUSION	SCALE 1:1
A	97.01.21	NEW ISSUE	
B	97.09.09	CHANGE MATERIAL SPEC.	
C	98.04.16	ADD D2600-3, UPDATE D2600-1 WIDTH, ADD DIE NO.	
D	98.08.20	INCREASE MIN. UTS TO 40 KSI	
DI	01.04.17	ADD PART NUMBERS + DIE NUMBERS <i>FGP</i>	

RELEASED
98 08 25 DS

GENERAL NOTES

Wlo 58903

1. MATERIAL: 6061-T6 (QQ-A-200/8)

MINIMUM YIELD TENSILE STRENGTH = 35 ksi
MINIMUM ULTIMATE TENSILE STRENGTH = 40 ksi
MINIMUM ELONGATION = 8 %

A SAMPLE FROM EACH BATCH WILL BE PULL TESTED
TO ASTM STANDARD B221 BY AN APPROVED TESTING
FACILITY TO ENSURE THAT THE BATCH MEETS THE
ABOVE MINIMUM MECHANICAL PROPERTIES.

2. BREAK ALL SHARP CORNERS 0.010 MAX.
3. NO TOOLING MARKS.
4. TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
5. ALL DIMENSIONS ARE IN INCHES.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN <i>DR</i>	DRAWN BY <i>DR</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>KE</i>	APPROVED <i>KE</i>	DRAWING NO. D2600	REV. D SHEET 2 OF 5
DATE 98.08.20		TITLE EXTRUSION	SCALE 1:1

RELEASED
98.8.25 DS



Wb 58903

D2600-1

MANUFACTURED WITH CARADON INDALEX DIE # MH-18870
OR BON L DIE # 897121 (PREFERRED CHOICE)
PART NUMBER IS D2600-1-XX WHERE XX IS CUT LENGTH IN INCHES (EG. D2600-1-160 IS 16" LONG)



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN <i>DM</i>	DRAWN BY <i>DM</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>KE</i>	APPROVED <i>CA</i>	DRAWING NO. D2600	REV. D SHEET 3 OF 5
DATE 98.08.20	TITLE EXTRUSION		SCALE 1:1

RELEASED
98.8.25 DS



W/O 58903

D2600-3

MANUFACTURED WITH CARADON INDALEX DIE # MH-18859
OR BON L DIE # 897122 (PREFERRED CHOICE)

PART NUMBER IS D2600-3-XXX WHERE XXX IS CUT LENGTH IN INCHES (EG. D2600-3-120 IS 120" LONG)



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN <i>MB</i>	DRAWN BY <i>MB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>KE</i>	APPROVED <i>KE</i>	DRAWING NO. D2600	REV. D SHEET 4 OF 5
DATE 98.08.20	TITLE EXTRUSION		SCALE 1:1

RELEASED
98 8 25 DS



MANUFACTURED WITH CARADON INDALEX DIE # MS-18871
PART NUMBER IS D2600-5-XXX WHERE XXX IS CUT LENGTH IN INCHES
(EG. D2600-5-108 IS 108" LONG)



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN <i>PP</i>	DRAWN BY <i>PP</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>KE</i>	APPROVED <i>AS</i>	DRAWING NO. D2600	REV. D SHEET 5 OF 5
DATE 98.08.20		TITLE EXTRUSION	SCALE 1:1

RELEASED
98.8.25 DS



D2600-7

MANUFACTURED WITH CARADON INDALEX DIE # MS-18872
PART NUMBER IS D2600-7-XXX WHERE XXX IS CUT LENGTH IN INCHES
(EG. D2600-7-125 IS 125" LONG)

